

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	5	@ad<"20020909" and (plurality multiple multi) near2 interface\$1 and switch\$3 with network1 with interface\$1 and driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 10:18
L10	11	@ad<"20020909" and interface\$1 and switch\$3 with network1 with interface\$1 and driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 10:26
L11	1616	@ad<"20020909" and (plurality multiple multi) near2 interface\$1 and (switch\$3 chang\$3) with driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 10:27
L12	5	11 and (hidden hid\$4) near2 switch\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 10:28
L13	5	11 and (hidden hid\$4) near2 switch\$3 and hid \$4	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 10:30
L14	8	@ad<"20020909" and network near2 interface \$1 and chang\$3 with driver\$1 and switch\$3 with (hidden hid\$5) and hid\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 11:11
L15	160	@ad<"20020909" and network near2 interface \$1 and switch\$3 with (hidden hid\$5) and hid\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 11:17
L16	58	15 and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 11:17
L17	5	16 and virtual near interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 11:20
L18	10	@ad<"20020909" and network near2 interface \$1 and switch\$3 with (hidden hid\$5) same virtual and hid\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 11:26
L19	265	@ad<"20020909" and switch\$3 same (hidden hid\$5) same layer and hid \$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 11:35

L20	39	@ad<"20020909" and switch\$3 same (hidden hid\$5) same network near layer and hid\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 11:36
L21	8	@ad<"20020909" and switch\$3 same (hidden hid\$5) same layer and hid\$5 and "370"/\$.ccls. and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 11:45
L23	2	"7181237".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/21 14:24
L24	16	@ad<"20020909" and (plurality multiple multi) near2 interface\$1 and (select\$3 chos\$4 pick\$3) with interface\$1 and signal\$1 near strength and weight and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:03
L25	35	@ad<"20020909" and (plurality multiple multi) near2 interface\$1 and (select\$3 chos\$4 pick\$3) with network with interface\$1 and signal\$1 near strength same weight	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:06
L26	5	@ad<"20020909" and (plurality multiple multi) near2 interface\$1 and network near1 interface\$1 and signal\$1 near strength and (calculat\$3 coefficient) near2 weight	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:28
L27	0	@ad<"20020909" and network near1 interface\$1 with connect\$4 and signal\$1 near strength same (calculat\$3 coefficient) near2 weight	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:32
L28	0	@ad<"20020909" and network near1 interface\$1 with connect\$4 and signal\$1 near strength same (calculat\$3 coefficient) same weight	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:32

L29	31	@ad< "20020909" and network near1 interface \$1 with connect\$4 and signal\$1 near strength and (calculat\$3 coefficient) same weight	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:32
L30	20	2002/0176366	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:43
L31	2	"20020176366"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:43
L32	1	@ad< "20020909" and network near1 interface \$1 and signal\$1 near strength same (calculat \$3 coefficient) same weight	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:56
L33	1	@ad< "20020909" and mobile near node\$1 same signal\$1 near strength same (calculat \$3 coefficient) same weight	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:58
S1	2	"6680923".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/20 13:29
S2	12	("5910946"   "6023241"   "6028764"   "6040784"   "6047047"   "6049291"   "6052812"   "6272348"   "6549543"   "6570871"   "6601040"   "6608832").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 13:31
S3	3106	@ad< "20020909" and (mobile wireless pda \$4phone) with (plurality multiple) with interface \$1 and (switch\$3 chang \$4) with interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 13:43
S4	2	S3 and driver and network near layer and virtual near1 interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 13:54
S5	7	("20020194385"   "20030018810"   "20030182431"   "5918016"   "6501746"   "6681259"   "7079504").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 13:55

S6	258	@ad<"20020909" and driver and network near (layer interface\$1) and virtual near1 interface\$1 and (plurality multiple) with interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 14:01
S7	2	S6 and mobile near node	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 14:02
S8	49	S6 and node\$1 and "370"/\$.cls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 14:03
S9	0	@ad<"20020909" and (mobile wireless pda \$4phone) with (plurality multiple) with interface \$1 and (switch\$3 chang \$4) with (hid\$3 conceal \$3) same network near1 layer same (virtual near interface\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:01
S10	2	@ad<"20020909" and (mobile wireless pda \$4phone) with (plurality multiple) with interface \$1 and (switch\$3 chang \$4) same network near1 layer same (virtual near interface\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:02
S11	0	@ad<"20020909" and (mobile wireless pda \$4phone) with (plurality multiple) with interface \$1 and (select\$3 choose chosen) same network near1 interface\$1 same weight same ((signal\$3 near strength) rss)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:07
S12	0	@ad<"20020909" and (mobile wireless pda \$4phone) with (plurality multiple) with interface \$1 and (select\$3 choose chosen) same network near1 interface\$1 same weight and ((signal\$3 near strength) rss)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:08

S13	8	@ad<"20020909" and (mobile wireless pda \$4phone) with (plurality multiple) with interface \$1 and (select\$3 choose chosen) same network near1 interface\$1 and weight and ((signal\$3 near strength) rss)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:08
S14	1	"6801777".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:19
S15	4	2003/0185233	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:21
S16	1	"20030185233"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:22
S17	205	@ad<"20020909" and (mobile wireless pda \$4phone) with (plurality multiple) with interface \$1 and (switch\$3 chang \$4) near2 network near interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:27
S18	1	S17 and (switch\$3 chang \$3) near2 (hidden conceal\$3 hide hid\$3) same network same layer	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:32
S19	2	S17 and (switch\$3 chang \$3) same (hidden conceal \$3 hide hid\$3) same network same layer	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:36
S20	8	S17 and (switch\$3 chang \$3) same (hidden conceal \$3 hide hid\$3) and network with layer	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 15:38
S21	430	@ad<"20020909" and (chang\$3 switch\$3) with network near interface\$1 and (chang\$3 switch\$3) near3 driver and (plurality multiple) with interface\$1 or (multi adj interface\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 16:52
S22	26	@ad<"20020909" and (chang\$3 switch\$3) with network near interface\$1 same (chang\$3 switch \$3) near3 driver and (plurality multiple) with interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 16:52

S23	0	@ad<"20020909" and mobile near1 node\$1 same network near layer and (plurality multiple multi) near1 interface\$1 with driver and (chang\$3 switch\$3) near3 network near interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:09
S24	0	@ad<"20020909" and mobile near1 node\$1 and network near layer and (plurality multiple multi) near1 interface\$1 with driver and (chang\$3 switch\$3) near3 network near interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:10
S25	1127	@ad<"20020909" and layer\$1 and (plurality multiple multi) near2 interface\$1 and driver\$1 and (chang\$3 switch\$3) near3 interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:11
S26	52	@ad<"20020909" and layer\$1 and (plurality multiple multi) near2 interface\$1 near1 driver \$1 and (chang\$3 switch \$3) near3 interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:12
S27	3	S26 and "370"/\$.cls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:13
S28	139	@ad<"20020909" and layer\$1 and (plurality multiple multi) near2 interface\$1 and driver\$1 and (chang\$3 switch\$3) near3 network near1 interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:14
S29	36	S28 and (chang\$3 switch \$3) near3 driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:15
S30	3	S28 and chang\$3 near driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:29
S31	91	@ad<"20020909" and layer\$1 and (plurality multiple multi) near2 interface\$1 and switch\$3 near1 network near1 interface\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:32
S32	0	S31 and chang\$3 near driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:32
S33	1	S31 and chang\$3 with driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:32

S34	0	S31 and (chang\$3 switch \$3) near1 driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:33
S35	6	S31 and (chang\$3 switch \$3) with driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 17:33
S36	25	@ad<"20020909" and (plurality multiple multi) near2 interface\$1 and switch\$3 with network near1 interface\$1 and chang\$3 near3 driver\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 23:23
S37	7	@ad<"20020909" and (plurality multiple multi) near2 interface\$1 and switch\$3 near1 interface \$1 and chang\$3 near2 driver\$1 and driver\$1 and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/20 23:30

8/21/08 4:16:48 PM